

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
404/657-8600

June 5, 2008

Mr. Scott Morgan
GroSouth of Georgia, Inc.
2075 Tucker Industrial Road
Tucker, Georgia 30084

Re: HSRA Release Notification
GroSouth of Georgia, Inc.
2075 Tucker Industrial Road
Tucker, DeKalb County, GA 30084

Dear Mr. Morgan:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated January 4, 2008 and supplemental information dated May 30, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, with the nearest residence at 301 to 1,000 feet and the nearest well at 2 to 3 miles. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Renee Hill at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Hazardous Sites Response Program

c: Ms. Ashley C. Cousins, P.E., TTL, Inc.
File: Non-HSI (GroSouth of Georgia, Inc.)
Encl.: Trip Report
RQSM Score sheet
Recommendation Memorandum

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner

Environmental Protection Division

Carol A. Couch, Ph.D., Director

Phone 404/657-8600 FAX 404/657-0807

June 6, 2008

Clarke County School District
c/o Ted Gilbert
240 Mitchell Street
Athens, Georgia 30603

Re: HSRA Release Notification
Bus Maintenance Facility (former)
175 Alexander Street
Athens, Clarke County, Georgia

Dear Mr. Gilbert:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated March 4, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as being inaccessible, non-residential use, with no release to groundwater. The property was evaluated for non-petroleum related regulated substances. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Katie Ross of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



David Reuland
Unit Coordinator
Hazardous Sites Response Program

c: Jeff Cook, AEM (w/o attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (Bus Maintenance Facility, Clarke County)

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner

Environmental Protection Division

Carol A. Couch, Ph.D., Director

Phone 404/657-8600 FAX 404/657-0807

June 6, 2008

Richfield Development Corporation
c/o Mr. Bart Lester
Post Office Box 2485
McDonough, Georgia 30253

Re: HSRA Release Notification
Former Rich's Goodyear Auto Service Center
2144 South Cobb Drive, Building 300
Smyrna, Cob County, Georgia

Dear Mr. Lester:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated March 24, 2008, and supplemental information dated March 26, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as unlimited access, non-residential use, with the nearest drinking water well located greater than one mile. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Antonia Beavers of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



Robert J. Valli, P.G.

Unit Coordinator

Hazardous Sites Response Program

c: Logic Environmental, Chris Fonzi (w/o attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo

File: Non-HSI (Former Rich's Goodyear Auto Service Center)

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
Hazardous Waste Management Branch
404/657-8600

June 12, 2008

Mr. Ken Burgess
c/o Columbus Realty Company
P.O. Box 8491
Columbus, GA 31917

Re: HSRA Release Notification
Former Sno-White One Hour Martinizing

Dear Mr. Burgess:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated May 5, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having an unlimited access and having non-residential use with the nearest drinking water well located greater than one mile from the property. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Montague McPherson of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



Regina Campbell
Unit Coordinator
Hazardous Sites Response Program

Encl.: Release Notification form
Trip Report
RQSM Score sheet
Recommendation Memorandum

File: Non-HSI (2001 South Lumpkin Road, Muscogeeb County)
S:\RDRIVE\MONTMC\NOTIF former Sno-White 1 Hour Martinizing non-HSI letter.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch Ph.D., Director
Phone 404/657-8600 FAX 404/657-0807

June 13, 2008

235 Dekalb Industrial Way, LLC
c/o David Duncan
235 Dekalb Industrial Way
Decatur, Georgia 30030

Re: HSRA Release Notification
Paddywax, Inc.
235 Dekalb Industrial Way
Decatur, Dekalb County, Georgia

Dear Mr. Duncan:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated May 29, 2008; EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, non-residential use, with the nearest drinking water well located greater than one mile from the property. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Jason Metzger of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



Regina Campbell
Unit Coordinator
Hazardous Sites Response Program

c: Mark Robertson, Genesis Environmental, Inc. (via facsimile w/o attachments)

Encl.: Trip Report RQSM Score Sheet Recommendation Memo

File: Non-HSI (Paddywax, Inc., Dekalb County)

S:\DRIVE\Metzger\Notifications\Paddywax\non-hsi letter.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner

Environmental Protection Division

Carol A. Couch Ph.D., Director

Phone 404/657-8600 FAX 404/657-0807

June 13, 2008

235 Dekalb Industrial Way, LLC
c/o David Duncan
235 Dekalb Industrial Way
Decatur, Georgia 30030

Re: HSRA Release Notification
Paddywax, Inc.
235 Dekalb Industrial Way
Decatur, Dekalb County, Georgia

Dear Mr. Duncan:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated May 29, 2008; EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, non-residential use, with the nearest drinking water well located greater than one mile from the property. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Jason Metzger of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



Regina Campbell

Unit Coordinator

Hazardous Sites Response Program

c: Mark Robertson, Genesis Environmental, Inc. (via facsimile w/o attachments)

Encl.: Trip Report RQSM Score Sheet Recommendation Memo

File: Non-HSI (Paddywax, Inc., Dekalb County)

S:\DRIVE\J\Metzger\Notifications\Paddywax\non-hsi letter.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
404/657-8600

June 17, 2008

Mr. Daniel C. Woodley
1407 Dresden Drive, NE
Suite 300
Atlanta, Georgia 30319

Re: HSRA Release Notification for
1359 – 1377 Dresden Drive, NE Tract
Atlanta, Georgia 30319

Dear Mr. Woodley:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated May 19, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, commercial use with the nearest drinking water well located greater than one (1) mile. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Hazardous Sites Response Program at (404)657-8600.

Sincerely,



Robert J. Valli, P.G.
Unit Coordinator
Hazardous Sites Response Program

Encl.: Release Notification form, Trip Report
RQSM Score Sheet, Recommendation Memorandum

File: Non-HSI (1359-1377 Dresden Dr. NE Tract)
S:\DRIVE\Jacki\HSI and Non-HSI\Wheeler's Cleaners\non-HSI letter.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
404/657-8600

June 17, 2008

Mr. Charles Pittard
Charles Pittard & Company
P.O. Box 2289
Duluth, Georgia 30096

Re: HSRA Release Notification
Professional Cleaners
3585 Peachtree Industrial Boulevard, Suite 100
Duluth, Gwinnett County, GA 30096

Dear Mr. Pittard:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated May 22, 2008; EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as non-residential, having unlimited access, with the nearest residence located within 301-1000 feet, and the nearest drinking water well located 1-2 miles from the referenced property. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Kevin Collins at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Hazardous Sites Response Program

cc: Thomas R. Harper, Environmental Technology Resources, Inc.
File: Non-HSI (Professional Cleaners, Duluth, Gwinnett County)
Encl.: Release Notification Form
Trip Report
RQSM Score sheet
Recommendation Memorandum

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch Ph.D., Director
Phone 404/657-8600 FAX 404/657-0807

June 17, 2008

The Clorox International Company
c/o Christopher Thompson
Powell Goldstein LLP
901 New York Avenue, N.W., Third Floor
Washington, DC 20001

Re: HSRA Release Notification
Former Atlanta Crankshaft Exchange
32 Royal Drive
Forest Park, Clayton County, Georgia

Dear Mr. Thompson:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification received on March 24, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, nonresidential use, with the nearest drinking water well located at greater than 1 (one) mile. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Mr. Rajib Haq of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



Robert J. Valli, P.G.

Unit Coordinator
Hazardous Sites Response Program

c: John P. Hollar, Burns & McDonnell
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memorandum

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner

Environmental Protection Division

Carol A. Couch, PhD., Director

404/657-8600

June 17, 2008

Mr. Joseph L. Zuncich
Applied Resource Management, P.C.
P.O. Box 882
Hampstead, NC 28443

Re: Abatement Summary
Marvil Package Company
Baxley Veneer & Cleat Company
1633 Golden Isles W.
Baxley, Georgia 31513

Dear Mr. Zuncich:

The Environmental Protection Division (EPD) has completed its review of the Abatement Summary, dated May 29, 2008, for the Marvil Package Company, located in Baxley, Georgia. Based upon the information contained in the report, it was not necessary to notify EPD pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.04 "Release Notification", and will not be further evaluated.

If any additional assessments and/or activities are conducted on the site which indicate that a release requiring notification has occurred, please notify EPD using a Release Notification Form, which can be found on our web page at www.gaepd.org/Documents/epdforms_hwb.html under the heading "Hazardous Site Cleanup".

Please direct questions regarding this matter to Renee Hill at (404) 657-8600.

Sincerely,



David Brownlee
Unit Coordinator
Hazardous Sites Response Program