

PROPOSED AMENDMENTS TO THE RULES OF THE
DEPARTMENT OF NATURAL RESOURCES
ENVIRONMENTAL PROTECTION DIVISION
RELATING TO AIR QUALITY, CHAPTER 391-3-1

The Rules of the Department of Natural Resources, Chapter 391-3-1, Air Quality Control are hereby amended, added to, repealed in part, revised, as hereinafter explicitly set forth in the attached amendments, additions, partial repeals, and revisions for specific rules, or such subdivisions thereof as may be indicated.

[Note: Underlined text is proposed to be added. Lined-through text is proposed for deletion.]

Rule 391-3-1-.01(nnnn), “Procedures for Testing and Monitoring Sources of Air Pollutants,” is amended to read as follows:

(nnnn) “Procedures for Testing and Monitoring Sources of Air Pollutants” or “PTM” means the Georgia Department of Natural Resources **Procedures for Testing and Monitoring Sources of Air Pollutants** dated ~~March 1, 2009~~ March 1, 2010.

Rule 391-3-1-.02(2)(ss) “Gasoline Transport Vehicles and Vapor Collection Systems,” is being amended to read as follows:

(ss) Gasoline Transport Vehicles and Vapor Collection Systems.

1. After the compliance date specified in paragraph 6. of this subparagraph, no person shall cause, let, permit, suffer, or allow the loading or unloading of gasoline from a gasoline transport vehicle of any size capacity unless:

(i) The tank sustains a pressure change of not more than three inches of water in five minutes when pressurized to 18 inches of water and evacuated to six inches of water as tested at least once per year in accordance with test procedures specified by the Division;

(ii) Displays a marking on the right front (passenger) side of the tank, in characters at least 2 inches high, which reads either P/V TEST DATE or EPA27 and the date on which the gasoline transport tank was last tested;

(iii) The tank has no visible liquid leaks and no gasoline vapor leaks as measured by a combustible gas detector;

(iv) The owner or operator of the gasoline transport vehicle has submitted to the Division within 30 days of the test date a data sheet in the format specified by the Division containing at a minimum the following information: name of person(s) or company that conducted the test, date of test, test results including a list of any repairs made to the transport vehicle to bring it into compliance and the manufacturer’s vehicle identification number (VIN) of the tank truck or frame number of a trailer-mounted tank; and

(v) The transport vehicle has been equipped with fittings which are vapor tight and will automatically and immediately close upon disconnection so as to prevent release of gasoline or gasoline vapors, with a vapor return line and hatch seal designed to prevent the escape of gasoline or gasoline vapors while loading.

2. The owner or operator of a vapor collection and vapor control system shall:

(i) Design and operate the vapor collection and vapor control system and the gasoline loading equipment in a manner that prevents:

(I) Gauge pressure from exceeding 18 inches of water and vacuum from exceeding six inches of water in the gasoline tank truck;

(II) A reading equal to or greater than 100 percent of the lower explosive limit (LEL, measured as propane) at one inch from all points on the perimeter of a potential leak source when measured (in accordance with test procedures specified by the Division) during loading or unloading operations at gasoline dispensing facilities, bulk gasoline plants and bulk gasoline terminals; and

(III) Avoidable visible liquid leaks during loading and unloading operations at gasoline dispensing facilities, bulk gasoline plants and bulk gasoline terminals.

(ii) Within 15 days, repair and retest a vapor collection or vapor control system that exceeds the limits in Subparagraph (i) above.

3. Applicability: The requirements of this subparagraph shall apply only to those gasoline transport vehicles which load or unload gasoline at bulk gasoline terminals, bulk gasoline plants, and gasoline dispensing facilities subject to VOC vapor control requirements contained under section 391-3-1-.02(2).

4. The Division may require a pressure/vacuum retest or leak check for any gasoline transport vehicle, vapor collection system, vapor control system, and/or gasoline loading equipment subject to this subparagraph. A gasoline transport vehicle, vapor collection system, vapor control system, and/or gasoline loading equipment for which the Division has required a pressure/vacuum retest or leak check shall:

(i) Cease loading and unloading operations within fourteen (14) days of the date of the initial retest or leak check request unless the retest or leak check has been completed to the satisfaction of the Division;

(ii) Provide written advance notification to the Division of the scheduled time and place of the test in order to provide the Division an opportunity to have an observer present; and

(iii) Supply a copy of the results of all such tests to the Division within 30 days of the test date.

5. For the purpose of this subparagraph, the following definitions shall apply:

Chapter 391-3-1

Rules for Air Quality Control

- (i) "Combustible Gas Detector" means a portable VOC gas analyzer with a minimum range of 0-100 percent of the LEL as propane.
- (ii) "Gasoline" means a petroleum distillate having a Reid vapor pressure of 4.0 psia or greater.
- (iii) "Gasoline Transport Vehicle" means any mobile storage vessel including tank trucks and trailers used for the transport of gasoline from sources of supply to stationary storage tanks of gasoline dispensing facilities, bulk gasoline plants or bulk gasoline terminals.
- (iv) "Gasoline Vapor Leak" means a reading of 100 percent or greater of the Lower Explosive Limit (LEL) of gasoline when measured as propane at a distance of one inch.
- (v) "Vapor Collection System" means a vapor transport system, including any piping, hoses and devices, which uses direct displacement by the gasoline being transferred to force vapors from the vessel being loaded into either a vessel being unloaded or vapor control system or vapor holding tank.
- (~~iv~~vi) "Vapor Control System" means a system, including any piping, hoses, equipment and devices, that is designed to control the release of volatile organic compounds displaced from a vessel during transfer of gasoline.

6. Compliance Dates.

- (i) All gasoline transport vehicles and vapor collection systems operating in Cherokee, Clayton, Cobb, Coweta, DeKalb, Douglas, Fayette, Forsyth, Fulton, Gwinnett, Henry, Paulding and Rockdale counties shall be in compliance.
- (ii) All gasoline transport vehicles and vapor collection systems operating in Catoosa, Richmond and Walker counties shall be in compliance with this subparagraph by May 1, 2006.
- (iii) All gasoline transport vehicles and vapor collection systems operating in Barrow, Bartow, Carroll, Hall, Newton, Spalding, and Walton counties shall be in compliance with this subparagraph by June 1, 2008.

Rule 391-3-1-.02(2)(sss) "Multipollutant Control for Electric Utility Steam Generating Units," is being amended to read as follows:

(sss) Multipollutant Control for Electric Utility Steam Generating Units.

1. **Effective December 31, 2008**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

- (i) Plant Bowen Unit 4 unless such source is equipped and operated with selective catalytic reduction and flue gas desulfurization.
- (ii) Plant Bowen Unit 3 unless such source is equipped and operated with selective catalytic reduction and flue gas desulfurization.

Chapter 391-3-1

Rules for Air Quality Control

(iii) Plant Wansley Unit 1 unless such source is equipped and operated with selective catalytic reduction and flue gas desulfurization.

(iv) Plant Hammond Unit 1 unless such source is equipped and operated with flue gas desulfurization.

(v) Plant Hammond Unit 2 unless such source is equipped and operated with flue gas desulfurization.

(vi) Plant Hammond Unit 3 unless such source is equipped and operated with flue gas desulfurization.

(vii) Plant Hammond Unit 4 unless such source is equipped and operated with selective catalytic reduction and flue gas desulfurization.

(viii) Plant Yates Unit 1 unless such source is equipped and operated with flue gas desulfurization.

2. **Effective June 1, 2009**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant Bowen Unit 2 unless such source is equipped and operated with selective catalytic reduction (SCR) and flue gas desulfurization (FGD).

(ii) Plant Scherer Unit 2 unless such source is equipped and operated with sorbent injection and a baghouse.

(iii) Plant Scherer Unit 3 unless such source is equipped and operated with sorbent injection and a baghouse.

3. **Effective December 31, 2009**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant Scherer Unit 1 unless such source is equipped and operated with sorbent injection and a baghouse.

(ii) Plant Wansley Unit 2 unless such source is equipped and operated with selective catalytic reduction and flue gas desulfurization.

4. **Effective April 30, 2010**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant Scherer Unit 4 unless such source is equipped and operated with sorbent injection and a baghouse.

5. **Effective June 1, 2010**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant Bowen Unit 1 unless such source is equipped and operated with selective catalytic reduction (SCR) and flue gas desulfurization (FGD).

6. **Effective December 31, 2011**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant Scherer Unit 3 unless such source is equipped and operated with selective catalytic reduction, flue gas desulfurization, sorbent injection, and a baghouse; provided that the owner or operator is not required to operate the selective catalytic reduction system during the months of January through April and October through December of each year.

(ii) Plant McDonough Unit 2 unless such source is equipped and operated with selective catalytic reduction (SCR) and flue gas desulfurization (FGD).

7. **Effective April 30, 2012**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant McDonough Unit 1 unless such source is equipped and operated with selective catalytic reduction (SCR) and flue gas desulfurization (FGD).

8. **Effective December 31, 2012**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant Scherer Unit 4 unless such source is equipped and operated with selective catalytic reduction, flue gas desulfurization, sorbent injection, and a baghouse, provided that the owner or operator is not required to operate the selective catalytic reduction system during the months of January through April and October through December of each year.

9. **Effective December 31, 2013**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant Branch Unit 3 unless such source is equipped and operated with selective catalytic reduction (SCR) and flue gas desulfurization (FGD).

(ii) Plant Scherer Unit 2 unless such source is equipped and operated with selective catalytic reduction, flue gas desulfurization, sorbent injection, and a baghouse, provided that the owner or operator is not required to operate the selective catalytic reduction system during the months of January through April and October through December of each year.

10. **Effective June 1, 2014**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant Branch Unit 4 unless such source is equipped and operated with selective catalytic reduction (SCR) and flue gas desulfurization (FGD).

11. **Effective December 31, 2014**, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant Branch Unit 1 unless such source is equipped and operated with selective catalytic reduction (SCR) and flue gas desulfurization (FGD).

(ii) Plant Branch Unit 2 unless such source is equipped and operated with selective catalytic reduction (SCR) and flue gas desulfurization (FGD).

(iii) Plant Scherer Unit 1 unless such source is equipped and operated with selective catalytic reduction, flue gas desulfurization, sorbent injection, and a baghouse; provided that the owner or operator is not required to operate the selective catalytic reduction system during the months of January through April and October through December of each year.

12. Effective June 1, 2015, no person shall cause, let, permit, suffer or allow the operation of the following units except as specified below:

(i) Plant Yates Unit 6 unless such source is equipped and operated with selective catalytic reduction (SCR) and flue gas desulfurization (FGD).

(ii) Plant Yates Unit 7 unless such source is equipped and operated with selective catalytic reduction (SCR) and flue gas desulfurization (FGD).

13. Effective January 1, 2018, should the annual heat input (from coal combustion) of an affected unit or group of affected units exceed the levels specified in each Subparagraphs 13.(i) through 13.(iv), the owner/operator will comply with the requirements specified in Subparagraph 13.(v):

(i) Plant Kraft Units 1, 2, and 3 with a total annual heat input of 17,911,898 million Btu;

(ii) Plant McIntosh Unit 1 with a total annual heat input of 14,557,638 million Btu;

(iii) Plant Mitchell Unit 3 with a total annual heat input of 8,621,580 million Btu;

(iv) Plant Yates Units 2, 3, 4, and 5 with a total annual heat input of 33,608,398 million Btu.

(v) The owner/operator shall evaluate the economic and technical feasibility of additional mercury controls on the applicable affected unit(s) specified in Subparagraphs 13.(i) through 13.(iv), and submit a report on their findings to the Division no later than September 1 of the calendar year following the calendar year that the annual heat input exceeded the applicable level specified in Subparagraphs 13.(i) through 13.(iv).

(vi) The Division will review the report submitted in accordance with Subparagraph 13.(v) and determine if additional mercury controls are required and, if additional mercury controls are required, establish deadlines for submission of a permit application(s) to the Division and for start-up of such mercury controls.

(vii) The Division will document the results of its evaluation conducted in accordance with Subparagraph 13.(vi) and notify the owner and/or operator within a timely fashion whether additional mercury controls are required.

14. **Control Equipment Monitoring Design:** For the anticipated range of operations of the applicable EGUs specified in Subparagraphs 1. through 12., the designated representative shall follow the procedures given in Section 2.124 of the Division's Procedures for Testing and Monitoring Sources of Air Pollutants for the establishment of optimized operating parameters for the applicable control equipment installed as required in Subparagraphs 1. through 12.

15. **Alternative Control Technology:** The owner/operator of an affected unit specified in Subparagraphs 1. through 12. may operate alternative control technology or alternative method of emissions reductions from that which is specified in the applicable Subparagraphs 1. through 12. if the following requirements are met:

(i) The Division has approved the operation of the alternative control technology or the alternative method of emission reductions as being capable of achieving reductions of NO_x, SO₂ and/or mercury emissions equivalent to or greater than the control technology requirement specified in applicable Subparagraphs 1. through 12. for an individual emissions unit or the respective plant site as a whole; and

(ii) The owner/operator has submitted the appropriate permit application(s) to the Division at least twelve months before the effective date of the applicable Subparagraphs 1. through 12.

16. **The owner or operator of any EGU** subject to this subsection may submit a request to the Director to delay implementation of any of the controls required by Subparagraphs 1. through 12. for a specific EGU if there is a delay caused by reasonably unforeseen circumstances beyond the control of the owner operator. Any delay allowed under this subparagraph is subject to review and approval by the Division. Reasonably unforeseen circumstances beyond the control of the owner or operator shall include, without limitation, the following:

(i) Failure to secure timely and necessary federal, state or local approvals, responses, notifications or permits to install the controls, provided that such approvals or permits have been timely and diligently sought;

(ii) Act of God, act of war, insurrection, civil disturbance, flood or other extraordinary weather conditions, vandalism, contractor or supplier strikes or bankruptcy, or unanticipated breakage or accident to machinery or equipment despite diligent maintenance; and

(iii) Any other delay caused by unforeseeable circumstances beyond the reasonable control of owner or operator as reasonably determined by the Director.

17. **On and after the effective date** of each Subparagraph 1. through 12. for a specific EGU, the applicable owner or operator is not required to operate the required control technology under the following conditions:

(i) Restarting an EGU when all Electric Utility Steam Generating Units [as listed in Subparagraphs 1. through 12. and Subparagraph 13.(iv)] at a facility are down and off-site power is not available (also known as a "Black Start").

(ii) Periods of startup of an EGU provided that such periods are consistent with the requirements of Paragraph 391-3-1-.02(2)(a)7.

- (iii) Periods of shutdown of an EGU provided that such periods are consistent with the requirements of Paragraph 391-3-1-.02(2)(a)7.
- (iv) Periods of scheduled and/or preventative maintenance of control technology equipment if such maintenance cannot reasonably be performed during a scheduled outage of the respective EGU.
- (v) Periods of malfunction of EGU and/or control technology equipment provided that such periods are consistent with the requirements of Paragraph 391-3-1-.02(2)(a)7.
- (vi) Periods when the owner/operator is required to conduct the Relative Accuracy Test Audit and any other necessary periodic quality assurance procedures on the Continuous Emissions Monitoring System located on the bypass stack pursuant to 40 CFR Part 75 or the Georgia Department of Natural Resources Procedures for Testing and Monitoring Sources of Air Pollutants.
- (vii) Periods when the owner/operator is required to conduct any performance tests on the bypass stack as required by state or federal air quality rules, air quality operating permits, or as ordered by the Division.
- (viii) Division-approved periods of research and development of emission control technologies, provided that the unit does not exceed other applicable emission limits. For purposes of this subparagraph, the owner/operator shall submit a request for approval under this subparagraph at least 120 days prior to such date as well as including the following items: (1) length of time of research and development (R&D) period; (2) identification of steps to take to minimize emissions in accordance with best operational practices during R&D period; (3) for periods of R&D lasting more than 48 hours during any 5-day period, a demonstration that any increase in emissions resulting from the R&D project that are above that which is allowed by this subparagraph (sss) will not cause or significantly contribute to a violation of any national ambient air quality standard or prevent compliance with any other applicable provisions.
- (ix) Any other occasion not covered by Subparagraphs 17.(i) through (viii), as approved by the Division.

18. The requirements of Subparagraph 17 do not relieve the owner or operator from the requirement to comply with any other applicable requirements of Georgia Rules for Air Quality Control Chapter 391-3-1.

19. Technology and Mercury Impact Review – Periodic Evaluation: The Director shall submit a report to the Georgia Department of Natural Resources Board by December 31, 2023. The report shall constitute an evaluation of available and relevant information to determine if additional reductions of mercury emissions from EGUs are necessary or appropriate. This report shall include an evaluation that includes, but is not limited to, the following:

- (i) mercury concentrations in fish tissue in water bodies in the State and any changes or trends of such concentrations over time;
- (ii) the sources of mercury (including air, land, and water sources) that might influence in-state mercury concentrations in fish tissue;

- (iii) the state of the science regarding the relationship among sources of mercury, mercury speciation and mercury concentrations in fish tissue in water bodies in the State;
- (iv) the health impact of mercury contamination in fish tissue;
- (v) technically- and economically-feasible controls for the reduction of mercury emissions from coal-fired EGUs or other sources;
- (vi) whether additional reductions of mercury from coal-fired EGUs or other sources and/or whether additional time or study is appropriate and necessary in light of items (i) through (v);
- (vii) recommendations for any necessary revisions to Paragraph (sss) or other actions as needed to address other sources; and
- (viii) recommendations for an appropriate timeline for the development of any such additional regulations; provided, however, that implementation and operation of any such additional controls shall be required no earlier than January 1, 2027.

Rule 391-3-1-.02(8) “New Source Performance Standards,” is being amended by re-adopting subparagraph (b) in its entirety as follows:

(b) New Source Performance Standards.

1. General Provisions. For purposes of applying New Source Performance Standards, 40 CFR, Part 60, Subpart A (excluding 60.4 and 60.9), as amended December 22, 2008, is hereby incorporated and adopted by reference. The word “Administrator” as used in regulations adopted in this paragraph shall mean the Director of EPD.
2. Standards of Performance for Fossil-fuel Fired Steam Generators: 40 CFR, Part 60, subpart D, as amended January 28, 2009, is hereby incorporated and adopted by reference.
3. Standards of Performance for Electric Utility Steam Generating Units: 40 CFR, Part 60, Subpart Da, as amended January 28, 2009, is hereby incorporated and adopted by reference.
4. Standards of Performance for Industrial-Commercial-Institutional Steam Generating Units: 40 CFR, Part 60, Subpart Db, as amended January 28, 2009, is hereby incorporated and adopted by reference.
5. Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units: 40 CFR, Part 60, Subpart Dc, as amended January 28, 2009, is hereby incorporated and adopted by reference.
6. Standards of Performance for Incinerators: 40 CFR, Part 60, Subpart E, as amended May 10, 2006, is hereby incorporated and adopted by reference.
7. Standards of Performance for Municipal Waste Combustors: 40 CFR, Part 60, Subpart Ea, as amended October 17, 2000, is hereby incorporated and adopted by reference.

8. Standards of Performance for Portland Cement Plants: 40 CFR, Part 60, Subpart F, as amended October 17, 2000, is hereby incorporated and adopted by reference.
9. Standards of Performance for Nitric Acid Plants: 40 CFR, Part 60, Subpart G, as amended February 14, 1989, is hereby incorporated and adopted by reference.
10. Standards of Performance for Sulfuric Acid Plants: 40 CFR, Part 60, Subpart H, as amended October 17, 2000, is hereby incorporated and adopted by reference.
11. Standards of Performance for Asphalt Concrete Plants: 40 CFR, Part 60, Subpart I, as amended February 14, 1989, is hereby incorporated and adopted by reference.
12. Standards of Performance for Petroleum Refineries: 40 CFR, Part 60, Subpart J, as amended June 24, 2008, is hereby incorporated and adopted by reference.
13. Standards of Performance for Storage Vessels for Petroleum Liquids: 40 CFR, Part 60, Subpart K, as amended October 17, 2000, is hereby incorporated and adopted by reference.
14. Standards of Performance for Storage Vessels for Petroleum Liquids: 40 CFR, Part 60, Subpart Ka, as amended December 14, 2000, is hereby incorporated and adopted by reference.
15. Standards of Performance for Volatile Organic Liquid Storage Vessels: 40 CFR, Part 60, Subpart Kb, as amended October 15, 2003, is hereby incorporated and adopted by reference.
16. Standards of Performance for Secondary Lead Smelters: 40 CFR, Part 60, Subpart L, as amended October 17, 2000, is hereby incorporated and adopted by reference.
17. Standards of Performance for Secondary Brass and Bronze Ingot Production Plants: 40 CFR, Part 60, Subpart M, as amended October 17, 2000, is hereby incorporated and adopted by reference.
18. Standards of Performance for Iron and Steel Plants: 40 CFR, Part 60, Subpart N, as amended October 17, 2000, is hereby incorporated and adopted by reference.
19. Standards of Performance for Secondary Emissions from Basic Oxygen Process Steelmaking Facilities for Which Construction is Commenced After January 20, 1983: 40 CFR, Part 60, Subpart Na, as amended October 17, 2000, is hereby incorporated and adopted by reference.
20. Standards of Performance for Sewage Treatment Plants: 40 CFR, Part 60, Subpart O, as amended October 17, 2000, is hereby incorporated and adopted by reference.
21. Standards of Performance for Primary Copper Smelters: 40 CFR, Part 60, Subpart P, as amended October 17, 2000, is hereby incorporated and adopted by reference.
22. Standards of Performance for Primary Zinc Smelters: 40 CFR, Part 60, Subpart Q, as amended February 14, 1989, is hereby incorporated and adopted by reference.

Chapter 391-3-1

Rules for Air Quality Control

23. Standards of Performance for Primary Lead Smelters: 40 CFR, Part 60, Subpart R, as amended February 14, 1989, is hereby incorporated and adopted by reference.
24. Standards of Performance for Primary Aluminum Reduction Plants: 40 CFR, Part 60, Subpart S, as amended October 17, 2000, is hereby incorporated and adopted by reference.
25. Standards of Performance for the Phosphate Fertilizer Industry: Wet-Process Phosphoric Acid Plants: 40 CFR, Part 60, Subpart T, as amended October 17, 2000, is hereby incorporated and adopted by reference.
26. Standards of Performance for the Phosphate Fertilizer Industry: Superphosphoric Acid Plants: 40 CFR, Part 60, Subpart U, as amended October 17, 2000, is hereby incorporated and adopted by reference.
27. Standards of Performance for the Phosphate Fertilizer Industry: Diammonium Phosphate Plants: 40 CFR, Part 60, Subpart V, as amended October 17, 2000, is hereby incorporated and adopted by reference.
28. Standards of Performance for the Phosphate Fertilizer Industry: Triple Superphosphate Plants: 40 CFR, Part 60, Subpart W, as amended October 17, 2000, is hereby incorporated and adopted by reference.
29. Standards of Performance for the Phosphate Fertilizer Industry: Granular Triple Superphosphate Storage Facilities: 40 CFR, Part 60, Subpart X, as amended October 17, 2000, is hereby incorporated and adopted by reference.
30. Standards of Performance for Coal Preparation Plants: 40 CFR, Part 60, Subpart Y, as amended October 8, 2009, is hereby incorporated and adopted by reference.
31. Standards of Performance for Ferroalloy Production Facilities: 40 CFR, Part 60, Subpart Z, as amended October 17, 2000, is hereby incorporated and adopted by reference.
32. Standards of Performance for Steel Plants: Electric Arc Furnaces: 40 CFR, Part 60, Subpart AA, as amended February 22, 2005, is hereby incorporated and adopted by reference.
33. Standards of Performance for Steel Plants. Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 17, 1983: 40 CFR 60, Subpart AAa, as amended February 22, 2005, is hereby incorporated and adopted by reference.
34. Standards of Performance for Kraft Pulp Mills: 40 CFR, Part 60, Subpart BB, as amended September 21, 2006, is hereby incorporated and adopted by reference.
35. Standards of Performance for Glass Manufacturing Plants: 40 CFR, Part 60, Subpart CC, as amended October 17, 2000, is hereby incorporated and adopted by reference.
36. Standards of Performance for Grain Elevators: 40 CFR, Part 60, Subpart DD, as amended October 17, 2000, is hereby incorporated and adopted by reference.
37. Standards of Performance for Surface Coating of Metal Furniture: 40 CFR, Part 60, Subpart

Chapter 391-3-1

Rules for Air Quality Control

EE, as amended October 17, 2000, is hereby incorporated and adopted by reference.

38. Standards of Performance for Stationary Gas Turbines: 40 CFR, Part 60, subpart GG, as amended February 24, 2006, is hereby incorporated and adopted by reference.

39. Standards of Performance for Lime Manufacturing Plants: 40 CFR, Part 60, subpart HH, as amended October 17, 2000, is hereby incorporated and adopted by reference.

40. Standards of Performance for Lead-Acid Battery Manufacturing Plants: 40 CFR, Part 60, subpart KK, as amended October 17, 2000, is hereby incorporated and adopted by reference.

41. Standards of Performance for Metallic Mineral Processing Plants: 40 CFR, Part 60, Subpart LL, as amended October 17, 2000, is hereby incorporated and adopted by reference.

42. Standards of Performance for Automobile and Light-Duty Truck Coating Operations: 40 CFR, Part 60, Subpart MM, as amended October 17, 2000, is hereby incorporated and adopted by reference.

43. Standards of Performance for Phosphate Rock Plants: 40 CFR, Part 60, Subpart NN, as amended October 17, 2000, is hereby incorporated and adopted by reference.

44. Standards of Performance for Ammonium Sulfate Manufacture: 40 CFR, Part 60, Subpart PP, as amended October 17, 2000, is hereby incorporated and adopted by reference.

45. Standards of Performance for Graphic Arts Industry: Publication Rotogravure Printing: 40 CFR, Part 60, Subpart QQ, as amended April 9, 2004, is hereby incorporated and adopted by reference.

46. Standards of Performance for Pressure Sensitive Tape and Label Surface Coating Operations: 40 CFR, Part 60, Subpart RR, as amended October 17, 2000, is hereby incorporated and adopted by reference.

47. Standards of Performance for Industrial Surface Coating: Large Appliances: 40 CFR, Part 60, Subpart SS, as amended October 17, 2000, is hereby incorporated and adopted by reference.

48. Standards of Performance for Metal Coil Surface Coating: 40 CFR, Part 60, Subpart TT, as amended October 17, 2000, is hereby incorporated and adopted by reference.

49. Standards of Performance for Asphalt Processing and Asphalt Roofing Manufacture: 40 CFR, Part 60, Subpart UU, as amended October 17, 2000, is hereby incorporated and adopted by reference.

50. Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry: 40 CFR, Part 60, Subpart VV, as amended June 2, 2008, is hereby incorporated and adopted by reference.

51. Standards of Performance for Beverage Can Surface Coating Industry: 40 CFR, Part 60, Subpart WW, as amended October 17, 2000, is hereby incorporated and adopted by reference.

52. Standards of Performance for Bulk Gasoline Terminals: 40 CFR, Part 60, Subpart XX, as amended December 19, 2003, is hereby incorporated and adopted by reference.
53. Standards of Performance for Rubber Tire Manufacturing Industry: 40 CFR, Part 60, Subpart BBB, as amended October 17, 2000, is hereby incorporated and adopted by reference.
54. Standards of Performance for Volatile Organic Compound (VOC) Emission from Polymer Manufacturing Industry: 40 CFR, Part 60, Subpart DDD, as amended December 14, 2000, is hereby incorporated and adopted by reference.
55. Standards of Performance for Flexible Vinyl and Urethane Printing and Coating: 40 CFR 60, Subpart FFF, as amended October 17, 2000, is hereby incorporated and adopted by reference.
56. Standards of Performance for Equipment Leaks of VOC in Petroleum Refineries: 40 CFR, Part 60, Subpart GGG, as amended June 2, 2008, is hereby incorporated and adopted by reference.
57. Standards of Performance for Synthetic Fiber Production Facilities: 40 CFR, Part 60, Subpart HHH, as amended October 17, 2000, is hereby incorporated and adopted by reference.
58. Standards of Performance for Volatile Organic Compounds (VOC) Emissions from the Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes: 40 CFR, Part 60, Subpart III, as amended December 14, 2000, is hereby incorporated and adopted by reference.
59. Standards of Performance for Petroleum Dry Cleaners: 40 CFR, Part 60, Subpart JJJ, as amended October 17, 2000, is hereby incorporated and adopted by reference.
60. Standards of Performance for Equipment Leaks of VOC from Onshore Natural Gas Processing Plants: 40 CFR 60, Subpart KKK, as amended October 17, 2000, is hereby incorporated and adopted by reference.
61. Standards of Performance for Onshore Natural Gas Processing: 40 CFR, Part 60, Subpart LLL, as amended October 17, 2000, is hereby incorporated and adopted by reference.
62. Standards of Performance for Volatile Organic Compounds (VOC) Emissions From the Synthetic Organic Chemical Manufacturing Industry (SOCMI) Distillation Operation: 40 CFR, Part 60, Subpart NNN, as amended December 14, 2000, is hereby incorporated and adopted by reference.
63. Standards of Performance for Nonmetallic Mineral Processing Plants: 40 CFR, Part 60, Subpart OOO, as amended ~~amended~~ promulgated April 28, 2009, is hereby incorporated and adopted by reference.
64. Standards of Performance for Wool Fiberglass Insulation Manufacturing Plants: 40 CFR 60, Subpart PPP, as amended October 17, 2000, is hereby incorporated and adopted by reference.

Chapter 391-3-1

Rules for Air Quality Control

65. Standards of Performance for VOC Emissions from Petroleum Refinery Wastewater Systems: 40 CFR 60, Subpart QQQ, as amended October 17, 2000, is hereby incorporated and adopted by reference.

66. Standards of Performance for Volatile Organic Compound (VOC) Emissions from Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Process: 40 CFR 60, Subpart RRR, as amended December 14, 2000, is hereby incorporated and adopted by reference.

67. Standards of Performance for Magnetic Tape Coating: 40 CFR 60, Subpart SSS, as amended February 12, 1999, is hereby incorporated and adopted by reference.

68. Standards of Performance for Plastic Parts for Business Machine Coatings: 40 CFR 60, Subpart TTT, as amended October 17, 2000, is hereby incorporated and adopted by reference.

69. Standards of Performance for Calciners and Dryers in Mineral Industries: 40 CFR 60, Subpart UUU, as amended October 17, 2000, is hereby incorporated and adopted by reference.

70. Standards of Performance for Polymeric Coating of Supporting Substrates Facilities: 40 CFR 60, Subpart VVV, as ~~amended~~ promulgated September 11, 1989, is hereby incorporated and adopted by reference.

71. Standards of Performance for Municipal Waste Combustors for Which Construction is Commenced after September 20, 1994: 40 CFR, Part 60, Subpart Eb, as amended May 10, 2006, is hereby incorporated and adopted by reference.

72. Standards of Performance for Municipal Solid Waste Landfills: 40 CFR, Part 60, Subpart WWW, as amended September 21, 2006, is hereby incorporated and adopted by reference.

73. Standards of Performance for Hospital/Medical/Infectious Waste Incinerators for which construction is commenced after June 20, 1996: 40 CFR, Part 60, Subpart Ec, as amended October 6, 2009, is hereby incorporated and adopted by reference.

74. Standards of Performance for Small Municipal Waste Combustion Units for Which Construction is Commenced After August 30, 1999: 40 CFR 60, Subpart AAAA, as ~~amended~~ promulgated December 6, 2000, is hereby incorporated and adopted by reference.

75. Standards of Performance for Commercial and Industrial Solid Waste Incineration Units for Which Construction is Commenced After November 30, 1999: 40 CFR 60, Subpart CCCC, as amended September 22, 2005, is hereby incorporated and adopted by reference.

76. Standards of Performance for Other Solid Waste Incinerator Units for Which Construction is Commenced After December 9, 2004, or for Which Modification or Reconstruction is Commenced on or After June 16, 2006: 40 CFR Part 60 Subpart EEEE, as amended November 24, 2006, is hereby incorporated and adopted by reference.

77. Standards of Performance for Stationary Compression Ignition Internal Combustion Engines: 40 CFR Part 60 Subpart IIII, as ~~amended~~ promulgated July 11, 2006, is hereby incorporated and adopted by reference.

Chapter 391-3-1

Rules for Air Quality Control

78. Standards of Performance for Stationary Combustion Turbines: 40 CFR Part 60 Subpart KKKK, as amended March 20, 2009, is hereby incorporated and adopted by reference.

79. Standards of Performance for Stationary Spark Ignition Internal Combustion Engines: 40 CFR Part 60 Subpart JJJJ, as amended October 8, 2008, is hereby incorporated and adopted by reference.

80. Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry For Which Construction, Reconstruction, or Modification Commenced after November 7, 2006: 40 CFR Part 60 Subpart VVa, as amended June 2, 2008, is hereby incorporated and adopted by reference.

81. Standards of Performance for Equipment Leaks of VOC in Petroleum Refineries For Which Construction, Reconstruction, or Modification Commenced after November 7, 2006: 40 CFR Part 60 Subpart GGGa, as amended June 2, 2008, is hereby incorporated and adopted by reference.

82. Standards of Performance for Petroleum Refineries for Which Construction, Reconstruction, or Modification Commenced After May 14, 2007: 40 CFR Part 60 Subpart Ja, as amended December 22, 2008, is hereby incorporated and adopted by reference.

Rule 391-3-1-.02(9) “Emission Standards for Hazardous Air Pollutants,” is being amended by re-adopting Subparagraph (b) in its entirety adding subparagraphs 64, 166, 171, 172, 173 and 174 as follows:

(b) Emission Standards for Hazardous Air Pollutants.

1. Emission Standard for Beryllium: 40 CFR, Part 61, Subpart C, as amended October 17, 2000, is hereby incorporated and adopted by reference.

2. Emission Standard for Beryllium Rocket Motor Firing: 40 CFR, Part 61, Subpart D, as amended October 17, 2000, is hereby incorporated and adopted by reference.

3. Emission Standard for Mercury: 40 CFR, Part 61, Subpart E, as amended October 17, 2000, is hereby incorporated and adopted by reference.

4. Emission Standard for Vinyl Chloride: 40 CFR, Part 61, Subpart F, as amended October 17, 2000, is hereby incorporated and adopted by reference.

5. Emission Standard for Equipment Leaks (Fugitive Emission Sources) of Benzene: 40 CFR, Part 61, Subpart J, as amended December 14, 2000, is hereby incorporated and adopted by reference.

6. Emission Standard for Benzene Emissions from Coke Byproduct Recovery Plants: 40 CFR, Part 61, Subpart L, as amended October 17, 2000, is hereby incorporated and adopted by reference.

Chapter 391-3-1

Rules for Air Quality Control

7. Emission Standard for Asbestos (including work practices): 40 CFR, Part 61, Subpart M, as amended July 20, 2004, is hereby incorporated and adopted by reference.
8. Emission Standard for Inorganic Arsenic Emissions from Glass Manufacturing Plants: 40 CFR, Part 61, Subpart N, as amended October 17, 2000, is hereby incorporated and adopted by reference.
9. Emission Standard for Inorganic Arsenic Emissions from Primary Copper Smelters: 40 CFR, Part 61, Subpart O, as amended October 17, 2000, is hereby incorporated and adopted by reference.
10. Emission Standard for Inorganic Arsenic Emissions from Arsenic Trioxide and Metallic Arsenic Production Facilities: 40 CFR, Part 61, Subpart P, as amended October 3, 1986, is hereby incorporated and adopted by reference.
11. Emission Standard for Equipment Leaks (Fugitive Emission Sources) [of VHAP]: 40 CFR, Part 61, Subpart V, as amended December 14, 2000, is hereby incorporated and adopted by reference.
12. Emission Standard for Benzene Emissions from Benzene Storage Vessels: 40 CFR, Part 61, Subpart Y, as amended December 14, 2000, is hereby incorporated and adopted by reference.
13. Emission Standard for Benzene Emissions from Benzene Transfer Operations: 40 CFR, Part 61, Subpart BB, as amended December 14, 2000, is hereby incorporated and adopted by reference.
14. Emission Standard for Benzene Waste Operations: 40 CFR, Part 61, Subpart FF, as amended December 4, 2003, is hereby incorporated and adopted by reference.
15. General Provisions. For purposes of applying Emission Standards for Hazardous Air Pollutants, 40 CFR, Part 63, Subpart A, as amended December 22, 2008, [excluding 63.13, and 63.15(a)(2)] is hereby incorporated and adopted by reference.
16. Requirements for Control Technology Determinations for Major Sources in Accordance with Clean Air Act Paragraph 112(g): 40 CFR, Parts 63.40 through 63.44, as amended June 30, 1999, is hereby incorporated and adopted by reference, subject to the following provisions:
 - (i) Terms used in this paragraph shall have the meaning given to them in the Clean Air Act, 40 CFR 63 Subparts A and B, and the Georgia Air Quality Act.
 - (ii) The "Effective Date of Paragraph 112(g)(2)(B)," as defined in 40 CFR 63.41, shall be June 29, 1998.
 - (iii) The "Notice of MACT Approval," as defined in 40 CFR 63.41, shall be the air construction permit issued by the Division.
 - (iv) The "Permitting Authority," as defined in 40 CFR 63.41, shall be the Division.

Chapter 391-3-1

Rules for Air Quality Control

(v) In lieu of the administrative procedures for review of the Notice of MACT Approval, as set forth in 40 CFR 63.43(f)(1) through (5), the Division will act in accordance with the permitting requirements as set forth in Chapter 391-3-1-.03 Permits, as amended, and administrative procedures for preconstruction review and approval established by the Division.

(vi) In lieu of the opportunity for public comment on the Notice of MACT Approval, as set forth in 40 CFR 63.43(h), the Division will provide opportunity for public comment on the Notice of MACT Approval pursuant to Chapter 391-3-1-.03 (2)(l).

(vii) The Notice of MACT Approval shall become effective upon issuance of the air construction permit by the Division.

17. Requirements for Control Technology Determinations for Major Sources in Accordance with the Clean Air Act sections 112(j): 40 CFR 63, Subpart B, Sections 63.50 through 63.56, as amended July 11, 2005, is hereby incorporated and adopted by reference.

18. [reserved]

19. Compliance Extensions for Early Reductions: 40 CFR, Part 63, Subpart D, as amended November 21, 1994, is hereby incorporated and adopted by reference.

20. Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry, 40 CFR 63, Subpart F, as amended December 21, 2006, is hereby incorporated and adopted by reference.

21. Emission Standards for Organic Hazardous Air Pollutants from Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater, 40 CFR 63, Subpart G, as amended December 22, 2008, is hereby incorporated and adopted by reference. Only procedures listed in 63.112(e) of 40 CFR 63, Subpart G, shall be used to comply with the emission standard in 63.112(a) unless otherwise specifically approved by the Director.

22. Emission Standards for Organic Hazardous Air Pollutants for Equipment Leaks, 40 CFR 63, Subpart H, as amended December 22, 2008, is hereby incorporated and adopted by reference.

23. Emission Standards for Organic Hazardous Air Pollutants for Certain Processes Subject to the Negotiated Regulation for Equipment Leaks, 40 CFR 63, Subpart I, as amended June 23, 2003, is hereby incorporated and adopted by reference.

24. Emission Standards for Polyvinyl Chloride and Copolymers Production, 40 CFR Part 63, Subpart J, as amended July 10, 2002, is hereby incorporated and adopted by reference.

25. [reserved]

26. Emission Standards for Coke Oven Batteries, 40 CFR 63, Subpart L, as amended April 20, 2005, is hereby incorporated and adopted by reference.

27. Perchloroethylene Air Emission Standards for Dry Cleaning Facilities, 40 CFR 63, Subpart M, as amended July 11, 2008, is hereby incorporated and adopted by reference.

28. Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks, 40 CFR 63, Subpart N, as amended April 20, 2006, is hereby incorporated and adopted by reference.
29. Ethylene Oxide Emissions Standards for Sterilization Facilities, 40 CFR 63, Subpart O, as amended December 19, 2005, is hereby incorporated and adopted by reference.
30. [reserved]
31. Emission Standards for Hazardous Air Pollutants for Industrial Process Cooling Towers, 40 CFR 63, Subpart Q, as amended April 7, 2006, is hereby incorporated and adopted by reference.
32. Emission Standards for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations), 40 CFR 63, Subpart R, as amended December 22, 2008, is hereby incorporated and adopted by reference.
33. Emission Standards for Pulp & Paper Industries, 40 CFR 63, Subpart S, as amended April 13, 2004, is hereby incorporated and adopted by reference.
34. Emission Standards for Halogenated Solvent Cleaning, 40 CFR 63, Subpart T, as amended May 3, 2007, is hereby incorporated and adopted by reference.
35. Emission Standards for Hazardous Air Pollutant Emissions: Group I Polymers and Resins, 40 CFR 63, Subpart U, as amended December 22, 2008, is hereby incorporated and adopted by reference.
36. [reserved]
37. Emission Standards for Hazardous Air Pollutants for Epoxy Resins Production and Non-Nylon Polyamides Production, 40 CFR 63, Subpart W, as amended April 20, 2006, is hereby incorporated and adopted by reference.
38. Emission Standards for Hazardous Air Pollutants From Secondary Lead Smelting, 40 CFR 63, Subpart X, as amended June 23, 2003, is hereby incorporated and adopted by reference.
39. Emission Standards for Marine Tank Vessel Loading Operations, 40 CFR 63, Subpart Y, as amended April 20, 2006, is hereby incorporated and adopted by reference.
40. [reserved]
41. Emission Standards for Hazardous Air Pollutants from Phosphoric Acid Manufacturing Plants, 40 CFR 63, Subpart AA, as amended April 20, 2006, is hereby incorporated and adopted by reference.
42. Emission Standards for Hazardous Air Pollutants from Phosphate Fertilizers Production Plants, 40 CFR 63, Subpart BB, as amended April 20, 2006, is hereby incorporated and adopted by reference.

43. Emission Standards for Hazardous Air Pollutants from Petroleum Refineries, 40 CFR 63, Subpart CC, as amended ~~June 23, 2003~~October 28, 2009, is hereby incorporated and adopted by reference. Only procedures listed in 63.642(k) of 40 CFR 63, Subpart CC shall be used to comply with the emission standard in 63.642(g).

44. Emission Standards for Hazardous Air Pollutants from Off-Site Waste and Recovery Operations, 40 CFR 63, Subpart DD, as amended April 20, 2006, is hereby incorporated and adopted by reference.

45. Emission Standards for Magnetic Tape Manufacturing Operations, 40 CFR 63, Subpart EE, as amended June 23, 2003, is hereby incorporated and adopted by reference.

46. [reserved]

47. Emission Standards for Aerospace Manufacturing and Rework Facilities, 40 CFR 63, Subpart GG, as amended April 20, 2006, is hereby incorporated and adopted by reference.

48. Emission Standards for Hazardous Air Pollutants for Source Categories: Oil & Natural Gas Production Facilities, 40 CFR 63, Subpart HH, as amended December 22, 2008, is hereby incorporated and adopted by reference.

49. Emission Standards for Shipbuilding and Ship Repair (Surface Coating), 40 CFR 63, Subpart II, as amended June 23, 2003, is hereby incorporated and adopted by reference.

50. Emission Standards for Wood Furniture Manufacturing Operations, 40 CFR 63, Subpart JJ, as amended June 23, 2003, is hereby incorporated and adopted by reference.

51. Emission Standards for the Printing and Publishing Industry, 40 CFR 63, Subpart KK, as amended May 24, 2006, is hereby incorporated and adopted by reference.

52. Emission Standards for Hazardous Air Pollutants for Source Categories: Primary Aluminum Reduction Plants, 40 CFR 63, Subpart LL, as amended April 20, 2006, is hereby incorporated and adopted by reference.

53. Emission Standards for Hazardous Air Pollutants for Source Categories: Combustion Sources at Kraft, Soda, and Sulfite Pulp and Paper Mills, 40 CFR 63, Subpart MM, as amended April 20, 2006, is hereby incorporated and adopted by reference.

54. [reserved]

55. Emission Standards for Tanks-Level 1, 40 CFR 63, Subpart OO, as amended June 23, 2003, is hereby incorporated and adopted by reference.

56. Emission Standards for Containers, 40 CFR 63, Subpart PP, as amended June 23, 2003, is hereby incorporated and adopted by reference.

57. Emission Standards for Surface Impoundments, 40 CFR 63, Subpart QQ, as amended June 23, 2003, is hereby incorporated and adopted by reference.

58. Emission Standards for Individual Drain Systems, 40 CFR 63, Subpart RR, as amended June 23, 2003, is hereby incorporated and adopted by reference.

59. Emission Standards for Hazardous Air Pollutants from: Closed Vent Systems, Control Devices, Recovery Devices and Routing to a Fuel Gas System or a Process, 40 CFR 63, Subpart SS, as amended April 20, 2006, is hereby incorporated and adopted by reference.

60. Emission Standards for Hazardous Air Pollutants from Equipment Leaks--Control Level 1, 40 CFR 63, Subpart TT, as amended July 12, 2002, is hereby incorporated and adopted by reference.

61. Emission Standards for Hazardous Air Pollutants from Equipment Leaks--Control Level 2 Standards, 40 CFR 63, Subpart UU, as amended July 12, 2002, is hereby incorporated and adopted by reference.

62. Emission Standards for Oil-Water Separators and Organic-Water Separators, 40 CFR 63, Subpart VV, as amended June 23, 2003, is hereby incorporated and adopted by reference.

63. Emission Standards for Hazardous Air Pollutants from Storage Vessels (Tanks)--Control Level 2, 40 CFR 63, Subpart WW, as amended July 12, 2002, is hereby incorporated and adopted by reference.

64. Emission Standards for Ethylene Manufacturing Process Units: Heat Exchange Systems and Waste Operations, 40 CFR Part 63, Subpart XX, as amended April 13, 2005, is hereby incorporated and adopted by reference.

~~6465~~. Emission Standards for Hazardous Air Pollutants for Source Categories: Generic Maximum Achievable Control Technology Standards, 40 CFR 63, Subpart YY, as amended April 20, 2006, is hereby incorporated and adopted by reference.

66. [reserved]

67. [reserved]

68. [reserved]

~~6569~~. Emission standards for Hazardous Air Pollutants for Source Categories: Steel Pickling -- HCl Process Facilities and Hydrochloric Acid Regeneration Plants, 40 CFR 63, Subpart CCC, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~6670~~. Emission Standards for Hazardous Air Pollutants for Source Categories: Mineral Wool Production, 40 CFR 63, Subpart DDD, as amended June 23, 2003, is hereby incorporated and adopted by reference.

~~6771~~. Emission Standards for Hazardous Air Pollutants for Source Categories: Hazardous Waste Combustors, 40 CFR 63, Subpart EEE, as amended October 28, 2008, is hereby incorporated and adopted by reference.

Chapter 391-3-1

Rules for Air Quality Control

~~68~~72. [reserved]

~~69~~73. Emission Standards for Hazardous Air Pollutants for Source Categories: Pharmaceuticals Production, 40 CFR 63, Subpart GGG, as amended December 22, 2008, is hereby incorporated and adopted by reference.

~~70~~74. Emission Standards for Hazardous Air Pollutants for Source Categories: Natural Gas Transmission and Storage Facilities, 40 CFR 63, Subpart HHH, as amended December 22, 2008, is hereby incorporated and adopted by reference.

~~71~~75. Emission Standards for Hazardous Air Pollutants for Source Categories: Flexible Polyurethane Foam Production, 40 CFR 63, Subpart III, as amended June 23, 2003, is hereby incorporated and adopted by reference.

~~72~~76. Emission Standards for Hazardous Air Pollutant Emissions: Group IV Polymers and Resins, 40 CFR 63, Subpart JJJ, as amended December 22, 2008, is hereby incorporated and adopted by reference.

~~73~~77. [reserved]

~~74~~78. Emission Standards for Hazardous Air Pollutants for Source Categories: Portland Cement Manufacturing Industry, 40 CFR 63, Subpart LLL, as amended December 20, 2006, is hereby incorporated and adopted by reference.

~~75~~79. Emission Standards for Hazardous Air Pollutants for Source Categories: Pesticide Active Ingredient Production, 40 CFR 63, Subpart MMM, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~76~~80. Emission Standards for Hazardous Air Pollutants for Source Categories: Wool Fiberglass Manufacturing, 40 CFR 63, Subpart NNN, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~77~~81. Emission Standards for Hazardous Air Pollutants for Source Categories: Amino/Phenolic Resins Production, 40 CFR 63, Subpart OOO, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~78~~82. Emission Standards for Hazardous Air Pollutants for Source Categories: Polyether Polyols Production, 40 CFR 63, Subpart PPP, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~79~~83. Emission Standards for Hazardous Air Pollutants for Primary Copper Smelting, 40 CFR Part 63, Subpart QQQ, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~80~~84. Emission Standards for Hazardous Air Pollutants for Secondary Aluminum Production, 40 CFR, 63, Subpart RRR, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~81~~85. [reserved]

8286. Emission Standards for Hazardous Air Pollutants for Source Categories: Primary Lead Smelting, 40 CFR 63, Subpart TTT, as amended April 20, 2006, is hereby incorporated and adopted by reference.

8387. Emission Standards for Petroleum Refineries: Catalytic Cracking, Catalytic Reforming, and Sulfur Plant Units, 40 CFR Part 63, Subpart UUU, as amended April 20, 2006, is hereby incorporated and adopted by reference.

8488. Emission Standards for Hazardous Air Pollutants for Source Categories: Publicly Owned Treatment Works, 40 CFR 63, Subpart VVV, as amended December 22, 2008, is hereby incorporated and adopted by reference.

8589. [reserved]

8690. Emission Standards for Hazardous Air Pollutants for Source Categories: Ferroalloys Production: Ferromanganese and Silicomanganese, 40 CFR 63, Subpart XXX, as amended April 20, 2006, is hereby incorporated and adopted by reference.

8791. [reserved]

8892. [reserved]

8993. Emission Standards for Hazardous Air Pollutants for Source Categories: Municipal Solid Waste Landfills, 40 CFR Part 63, Subpart AAAA, as amended April 20, 2006, is hereby incorporated and adopted by reference.

9094. [reserved]

9195. Emission Standards for Hazardous Air Pollutants for Source Categories: Nutritional Yeast Manufacturing, 40 CFR Part 63, Subpart CCCC, as amended April 20, 2006, is hereby incorporated and adopted by reference.

9296. Emission Standards for Hazardous Air Pollutants: Plywood and Composite Wood Products, 40 CFR Part 63, Subpart DDDD, as amended October 29, 2007, is hereby incorporated and adopted for reference.

9397. Emission Standards for Hazardous Air Pollutants: Organic Liquid Distribution (non-gasoline), 40 CFR Part 63, Subpart EEEE, as amended December 22, 2008, is hereby incorporated and adopted for reference.

9498. Emission Standards for Hazardous Air Pollutants: Miscellaneous Organic Chemical Manufacturing, 40 CFR Part 63, Subpart FFFF, as amended December 22, 2008, is hereby incorporated and adopted by reference.

9599. Emission Standards for Hazardous Air Pollutants for Source Categories: Vegetable Oil Production, 40 CFR Part 63, Subpart GGGG, as amended April 20, 2006, is hereby incorporated and adopted by reference.

Chapter 391-3-1

Rules for Air Quality Control

~~96~~100. Emission Standards for Hazardous Air Pollutants for Wet Formed Fiberglass Mat Production, 40 CFR Part 63, Subpart HHHH, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~97~~101. Emission Standards for Hazardous Air Pollutants: Surface Coating of Automobiles and Light-Duty Trucks, 40 CFR Part 63, Subpart IIII, as amended April 24, 2007, is hereby incorporated and adopted by reference.

~~98~~102. Emission Standards for Hazardous Air Pollutants for Paper and Other Web Coatings, 40 CFR Part 63, Subpart JJJJ, as amended May 24, 2006, is hereby incorporated and adopted by reference.

~~99~~103. Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Cans, 40 CFR Part 63, Subpart KKKK, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~100~~104. [reserved]

~~101~~105. Emission Standards for Hazardous Air Pollutants: Surface Coating of Miscellaneous Metal Parts and Products, 40 CFR Part 63, Subpart MMMM, as amended December 22, 2006, is hereby incorporated and adopted by reference.

~~102~~106. Emission Standards for Hazardous Air Pollutants for Large Appliances Surface Coating Operations, 40 CFR Part 63, Subpart NNNN, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~103~~107. Emission Standards for Hazardous Air Pollutants: Printing, Coating, and Dyeing of Fabrics and Other Textiles, 40 CFR Part 63, Subpart OOOO, as amended May 24, 2006, is hereby incorporated and adopted by reference.

~~104~~108. Emission Standards for Hazardous Air Pollutants: Surface Coating of Plastic Parts and Products, 40 CFR Part 63, Subpart PPPP, as amended April 24, 2007, is hereby incorporated and adopted by reference.

~~105~~109. Emission Standards for Hazardous Air Pollutants: Surface Coating of Wood Building Products, 40 CFR Part 63, Subpart QQQQ, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~106~~110. Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Furniture, 40 CFR Part 63, Subpart RRRR, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~107~~111. Emission Standards for Hazardous Air Pollutants for Metal Coil Surface Coating Operations, 40 CFR Part 63, Subpart SSSS, as amended March 17, 2003, is hereby incorporated and adopted by reference.

~~108~~112. Emission Standards for Hazardous Air Pollutants for Leather Finishing Operations, 40 CFR Part 63, Subpart TTTT, as amended February 7, 2005, is hereby incorporated and adopted by reference.

~~109~~113. Emission Standards for Hazardous Air Pollutants for Cellulose Products Manufacturing, 40 CFR Part 63, Subpart UUUU, as amended December 22, 2008, is hereby incorporated and adopted by reference.

~~110~~114. Emission Standards for Hazardous Air Pollutants for Source Categories: Boat Manufacturing, 40 CFR Part 63, Subpart VVVV, as amended October 3, 2001, is hereby incorporated and adopted by reference.

~~111~~115. Emission Standards for Hazardous Air Pollutants: Reinforced Plastic Composites Production, 40 CFR Part 63, Subpart WWWW, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~112~~116. Emission Standards for Hazardous Air Pollutants for Tire Manufacturing, 40 CFR Part 63, Subpart XXXX, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~113~~117. Emission Standards for Hazardous Air Pollutants for Stationary Combustion Engines, 40 CFR Part 63, Subpart YYYY, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~114~~118. Emission Standards for Hazardous Air Pollutants for Reciprocating Internal Combustion Engines, 40 CFR Part 63, Subpart ZZZZ, as amended ~~January 18, 2008~~March 3, 2010, is hereby incorporated and adopted by reference.

~~115~~119. Emission Standards for Hazardous Air Pollutants for Lime Manufacturing Plants, 40 CFR Part 63, Subpart AAAAA, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~116~~120. Emission Standards for Hazardous Air Pollutants: Semiconductor Manufacturing, 40 CFR Part 63, Subpart BBBB, as amended July 22, 2008, is hereby incorporated and adopted by reference.

~~117~~121. Emission Standards for Hazardous Air Pollutants for Coke Ovens: Pushing, Quenching, and Battery Stacks, 40 CFR Part 63, Subpart CCCCC, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~118~~122. [reserved]

~~119~~123. Emission Standards for Hazardous Air Pollutants for Iron and Steel ~~Foundaries~~Foundries, 40 CFR 63, Subpart EEEEE, as amended February 7, 2008, is hereby incorporated by reference.

~~120~~124. Emission Standards for Hazardous Air Pollutants: Integrated Iron and Steel Manufacturing, 40 CFR Part 63, Subpart FFFFF, as amended July 13, 2006, is hereby incorporated and adopted by reference.

Chapter 391-3-1

Rules for Air Quality Control

~~121~~125. Emission Standards for Hazardous Air Pollutants: Site Remediation, 40 CFR Part 63, Subpart GGGGG, as amended December 22, 2008, is hereby incorporated and adopted by reference.

~~122~~126. Emission Standards for Hazardous Air Pollutants: Miscellaneous Coating Manufacturing, 40 CFR Part 63, Subpart HHHHH, as amended December 22, 2008, is hereby incorporated and adopted by reference.

~~123~~127. Emission Standards for Hazardous Air Pollutants: Mercury Emissions from Mercury Cell Chlor-Alkali Plants, 40 CFR Part 63, Subpart IIIII, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~124~~128. [reserved]

~~125~~129. [reserved]

~~126~~130. Emission Standards for Hazardous Air Pollutants: Asphalt Processing and Asphalt Roofing Manufacturing, 40 CFR Part 63, Subpart LLLLL, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~127~~131. Emission Standards for Hazardous Air Pollutants: Flexible Polyurethane Foam Fabrication Operations, 40 CFR Part 63, Subpart MMMMM, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~128~~132. Emission Standards for Hazardous Air Pollutants: Hydrochloric Acid Production, 40 CFR Part 63, Subpart NNNNN, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~129~~133. [reserved]

~~130~~134. Emission Standards for Hazardous Air Pollutants: Engine Test Cells/Stands, 40 CFR Part 63, Subpart PPPPP, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~131~~135. Emission Standards for Hazardous Air Pollutants for Friction Materials Manufacturing Facilities, 40 CFR Part 63, Subpart QQQQQ, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~132~~136. Emission Standards for Hazardous Air Pollutants: Taconite Iron Ore Processing, 40 CFR Part 63, Subpart RRRRR, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~133~~137. Emission Standards for Hazardous Air Pollutants for Refractory Products Manufacturing, 40 CFR Part 63, Subpart SSSSS, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~134~~138. Emission Standards for Hazardous Air Pollutants for Primary Magnesium Manufacturing, 40 CFR Part 63, Subpart TTTTT, as amended April 20, 2006, is hereby incorporated and adopted by reference.

~~135~~139. [reserved]

~~136~~140. [reserved]

~~137~~141. Emission Standards for Hospital Ethylene Oxide Sterilizers, 40 CFR Part 63, Subpart WWWW, as promulgated December 28, 2007, is hereby incorporated and adopted by reference.

~~138~~142. [reserved]

~~139~~143. Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities, 40 CFR Part 63, Subpart YYYY, as promulgated December 28, 2007, is hereby incorporated and adopted by reference.

~~140~~144. Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources, 40 CFR Part 63, Subpart ZZZZ, as promulgated January 2, 2008, is hereby incorporated and adopted by reference.

~~141~~145. [reserved]

~~142~~146. Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Bulk Terminals, Bulk Plants, and Pipeline Facilities, 40 CFR Part 63, Subpart BBBB, as amended March 7, 2008, is hereby incorporated and adopted by reference.

~~143~~147. Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Dispensing Facilities, 40 CFR Part 63, Subpart CCCCC, as amended June 25, 2008, is hereby incorporated and adopted by reference.

~~144~~148. Emission Standards for Hazardous Air Pollutants for Polyvinyl Chloride and Copolymers Production Area Sources, 40 CFR Part 63, Subpart DDDDD, as promulgated January 23, 2007, is hereby incorporated and adopted by reference.

~~145~~149. Emission Standards for Hazardous Air Pollutants for Primary Copper Smelting Area Sources, 40 CFR Part 63, Subpart EEEEE, as amended July 3, 2007, is hereby incorporated and adopted by reference.

~~146~~150. Emission Standards for Hazardous Air Pollutants for Secondary Copper Smelting Area Sources, 40 CFR Part 63, Subpart FFFFF, as amended July 3, 2007, is hereby incorporated and adopted by reference.

~~147~~151. Emission Standards for Hazardous Air Pollutants for Primary Nonferrous Metals Area Sources – Zinc, Cadmium, and Beryllium, 40 CFR Part 63, Subpart GGGGG, as promulgated January 23, 2007, is hereby incorporated and adopted by reference.

~~148~~152. Emission Standards for Hazardous Air Pollutants: Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources, 40 CFR Part 63, Subpart HHHHH, as amended February 13, 2008, is hereby incorporated and adopted by reference.

Chapter 391-3-1

Rules for Air Quality Control

~~149~~153. [reserved]

~~150~~154. [reserved]

~~151~~155. [reserved]

~~152~~156. Emission Standards for Hazardous Air Pollutants for Acrylic and Modacrylic Fibers Production Area Sources, 40 CFR Part 63, Subpart LLLLLL, as amended March 26, 2008, is hereby incorporated and adopted by reference.

~~153~~157. Emission Standards for Hazardous Air Pollutants for Carbon Black Production Area Sources, 40 CFR Part 63, Subpart MMMMMM, as amended March 26, 2008, is hereby incorporated and adopted by reference.

~~154~~158. Emission Standards for Hazardous Air Pollutants for Chemical Manufacturing Area Sources: Chromium Compounds, 40 CFR Part 63, Subpart NNNNNN, as amended March 26, 2008, is hereby incorporated and adopted by reference.

~~155~~159. Emission Standards for Hazardous Air Pollutants for Flexible Polyurethane Foam Production and Fabrication Area Sources, 40 CFR Part 63, Subpart OOOOOO, as amended March 26, 2008, is hereby incorporated and adopted by reference.

~~156~~160. Emission Standards for Hazardous Air Pollutants for Lead Acid Battery Manufacturing Area Sources, 40 CFR Part 63, Subpart PPPPPP, as amended March 26, 2008, is hereby incorporated and adopted by reference.

~~157~~161. Emission Standards for Hazardous Air Pollutants for Wood Preserving Area Sources, 40 CFR Part 63, Subpart QQQQQQ, as amended March 26, 2008, is hereby incorporated and adopted by reference.

~~158~~162. Emission Standards for Hazardous Air Pollutants for Clay Ceramics Manufacturing Area Sources, 40 CFR Part 63, Subpart RRRRRR, as promulgated December 26, 2007, is hereby incorporated and adopted by reference.

~~159~~163. Emission Standards for Hazardous Air Pollutants for Glass Manufacturing Area Sources, 40 CFR Part 63, Subpart SSSSSS, as promulgated December 26, 2007, is hereby incorporated and adopted by reference.

~~160~~164. Emission Standards for Hazardous Air Pollutants for Secondary Nonferrous Metals Processing Area Sources, 40 CFR Part 63, Subpart TTTTTT, as promulgated December 26, 2007, is hereby incorporated and adopted by reference.

~~161~~165. [reserved]

~~162~~. ~~[reserved]~~166. Emission Standards for Hazardous Air Pollutants for Chemical Manufacturing Area Sources, 40 CFR Part 63, Subpart VVVVVV, as promulgated October 29, 2009, is hereby incorporated and adopted by reference.

Chapter 391-3-1

Rules for Air Quality Control

~~163~~167. Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations, 40 CFR Part 63, Subpart WWWWWW, as promulgated July 1, 2008, is hereby incorporated and adopted by reference.

~~164~~168. Emission Standards for Hazardous Air Pollutants: Area Source Standards for Nine Metal Fabrication and Finishing Source Categories, 40 CFR Part 63, Subpart XXXXXX, as promulgated July 23, 2008, is hereby incorporated and adopted by reference.

~~165~~169. Emission Standards for Hazardous Air Pollutants for Area Sources: Ferroalloys Production Facilities, 40 CFR Part 63, Subpart YYYYYY, as promulgated December 23, 2008, is hereby incorporated and adopted by reference.

~~166~~170. ~~National~~ Emission Standards for Hazardous Air Pollutants: Area Source Standards for Aluminum, Copper, and Other Nonferrous Foundries, 40 CFR Part 63, Subpart ZZZZZZ, as ~~promulgated June 25, 2009~~ amended September 10, 2009, is hereby incorporated and adopted by reference.

171. Emission Standards for Hazardous Air Pollutants for Area Sources: Asphalt Processing and Asphalt Roofing Manufacturing, 40 CFR Part 63, Subpart AAAAAAA, as amended March 5, 2010, is hereby incorporated and adopted by reference.

172. Emission Standards for Hazardous Air Pollutants for Area Sources: Chemical Preparations Industry, 40 CFR Part 63, Subpart BBBBBBB, as promulgated December 30, 2009, is hereby incorporated and adopted by reference.

173. Emission Standards for Hazardous Air Pollutants for Area Sources: Paints and Allied Products Manufacturing, 40 CFR Part 63, Subpart CCCCCC, as amended March 18, 2010, is hereby incorporated and adopted by reference.

174. Emission Standards for Hazardous Air Pollutants: Area Source Standards for Prepared Feeds Manufacturing, 40 CFR Part 63, Subpart DDDDDDD, as promulgated January 5, 2010, is hereby incorporated and adopted by reference.

Rule 391-3-1-.14 “General Conformity,” is being amended to read as follows:

40 CFR Part 51, Subpart W, as ~~published amended November 30, 1993 in 58 Federal Register page 63247, as amended~~ April 5, 2010, is hereby incorporated and adopted by reference for the purpose of implementing Section 176 (c) of the Clean Air Act, with respect to the conformity of general federal actions to the applicable implementation plan.

Authority: O.C.G.A. Section 12-9-1 et seq., as amended.